



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/686,473	10/15/2003	Joseph P. Wieczorek	0942-00309

26659  
 DINNIN & DUNN, P.C.  
 2701 CAMBRIDGE COURT, STE. 500  
 AUBURN HILLS, MI 48326

CONFIRMATION NO. 1894

## FORMALITIES LETTER



\*OC000000012292561\*

Date Mailed: 04/07/2004

## NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

*Filing Date Granted*

The U.S. Patent and Trademark Office has received your reply on 03/22/2004 to the Notice to File Missing Parts (Notice) mailed 02/04/2004 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application. Replies should be mailed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 1,2,6,7,7a,,8,8a.

Replies should be mailed to: Mail Stop Missing Parts  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*



A handwritten signature, possibly reading 'nh', is written above a horizontal line.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY